

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|--|------------------|---------|------------------|
| S1 | 1 | ("20020087915").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2004/08/05 11:51 |
| S2 | 22 | ((("6,643,825") or ("6,585,778") or ("6,002,871") or ("6,012,098") or ("6,507,857") or ("6,535,896") or ("5,327,529") or ("6,138,158") or ("6,125,384") or ("6,125,388") or ("6,134,450") or ("6,049,819") or ("5,966,451") or ("5,911,485") or ("6,052,711") or ("5,963,952") or ("5,928,323") or ("5,983,267") or ("6,012,098") or ("6,023,714") or ("6,011,546") or ("5,828,840") or ("6,031,989")).PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2004/08/05 12:35 |
| S3 | 4 | "0945914" | EPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 11:52 |
| S4 | 20 | perla.inv. | EPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 11:53 |
| S5 | 4 | perla.inv. and baik.inv. | EPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 12:34 |
| S6 | 2268 | (709/203).CCLS. | USPAT; USOCR | OR | OFF | 2004/08/05 12:49 |
| S7 | 1005 | ((709/203).CCLS.) and error | USPAT | OR | ON | 2004/08/05 12:34 |
| S8 | 311 | ((709/203).CCLS.) and (error near2 message) | USPAT | OR | ON | 2005/03/07 18:04 |
| S9 | 468 | (714/15).CCLS. | USPAT; USOCR | OR | OFF | 2005/03/08 13:51 |
| S10 | 878 | error adj form | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 13:17 |
| S11 | 40 | error adj form and (error adj number) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 13:20 |
| S12 | 19 | (search\$3 or find\$3 or query\$3) near2 (error adj number) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 13:22 |
| S13 | 19 | (search\$3 or find\$3 or query\$3 or detect) near2 (error or defect) and (retriev\$3) and (style adj sheet) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 13:28 |
| S14 | 19 | ("5764505" "5779799" "5805442" "5978406" "5982800" "5991324" "6008497" "6014398" "6038486" "6061603" "6128323" "6188710" "6192291" "6199018" "6201996" "6233492" "6408260" "6522674" "6564171").PN. | USPAT | OR | ON | 2004/08/05 13:25 |
| S15 | 410 | (search\$3 or find\$3 or query\$3 or detect) near2 ((error or defect) near number) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 14:00 |
| S16 | 94 | (search\$3 or find\$3 or query\$3 or detect) near2 ((error or defect) near number) and display\$3 | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 13:30 |
| S17 | 4 | (search\$3 or find\$3 or query\$3 or detect) near2 ((error or defect) near number) and display\$3 and web\$5 | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 13:31 |

| | | | | | | |
|-----|-----|---|--|----|----|------------------|
| S18 | 329 | (error adj number) and (error adj message) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 13:31 |
| S19 | 5 | (error adj number) and (error adj message) and (XSL or stylesheet or "style sheet") | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 13:34 |
| S20 | 88 | (error adj number) and (error adj message) and web\$9 | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 13:34 |
| S21 | 87 | (error adj number) and (error adj message) and web\$9 and form | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 13:35 |
| S22 | 9 | ("5892911" "6134680" "6202087" "6269460" "6273622" "6353855" "6421715" "6421740" "6438716").PN. | USPAT | OR | ON | 2004/08/05 13:46 |
| S23 | 13 | ("4589068" "5325533" "5371884" "5448722" "5471675" "5526485" "5537526" "5628016" "5745910" "5761407" "5761513" "5815706" "5974568").PN. | USPAT | OR | ON | 2004/08/05 13:48 |
| S24 | 6 | "6202087".URPN. | USPAT | OR | ON | 2004/08/05 13:51 |
| S25 | 2 | ("5920661" "5923552").PN. | USPAT | OR | ON | 2004/08/05 13:52 |
| S26 | 356 | (search\$3 or find\$3 or query\$3 or detect) near2 (error adj (code or number)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 14:01 |
| S27 | 27 | (search\$3 or find\$3 or query\$3 or detect) near2 (error adj (code or number)) and (error adj message) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 14:09 |
| S28 | 1 | search\$3 near2 (predetermin\$3 adj error adj (code or number)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 14:10 |
| S29 | 71 | (predetermin\$3 adj error adj (code or number)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 14:10 |
| S30 | 11 | (predetermin\$3 adj error adj (code or number)) and (error adj message) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 14:15 |
| S31 | 17 | "5469049".URPN. | USPAT | OR | ON | 2004/08/05 14:13 |
| S32 | 835 | XSL or stylesheet or "style sheet" | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 14:15 |
| S33 | 42 | (XSL or stylesheet or "style sheet") and (error adj message) and (error adj (code or number)) and search\$3 and display\$3 and retriev\$5 | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 14:50 |
| S34 | 12 | ("5701451" "5734887" "5737592" "5826258" "5870549" "5899990" "5911075" "6128621" "6209124" "6240407" "6356920" "6377953").PN. | USPAT | OR | ON | 2004/08/05 14:19 |
| S35 | 20 | http adj error | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 15:08 |
| S36 | 9 | ("5611049" "5778174" "5991881" "6006268" "6085234" "6098172" "6173322" "6301645" "6304894").PN. | USPAT | OR | ON | 2004/08/05 14:52 |

| | | | | | | |
|-----|------|---|--|----|----|------------------|
| S37 | 3924 | web near application | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 15:09 |
| S38 | 152 | web near application and (error adj (code or number)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 15:09 |
| S39 | 62 | web near application and (error adj (code or number)) and (error adj message) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 15:50 |
| S40 | 91 | search\$3 near2 (error adj (code or message or number)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 15:50 |
| S41 | 5 | search\$3 near2 (error adj (code or message or number)) and ("style sheet" or stylesheet or XSL or XML) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 15:53 |
| S42 | 91 | search\$3 near2 (error adj (code or message or number)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 15:54 |
| S43 | 59 | search\$3 near2 (error adj (code or message or number)) and display\$3 | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 16:05 |
| S44 | 5 | ("5778367" "5881131" "6009459" "6205139" "6314469").PN. | USPAT | OR | ON | 2004/08/05 15:59 |
| S45 | 835 | XSL or "style sheet" or stylesheet | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 16:05 |
| S46 | 780 | XSL or "style sheet" or stylesheet and ((thin or wireless) adj (client or device)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 16:06 |
| S47 | 64 | (XSL or "style sheet" or stylesheet) and ((thin or wireless) adj (client or device)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 16:12 |
| S48 | 77 | apply\$3 near2 (stylesheet or "style sheet" or style-sheet) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 16:13 |
| S49 | 63 | apply\$3 near2 (stylesheet or "style sheet" or style-sheet) and form | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 16:13 |
| S50 | 59 | apply\$3 near2 (stylesheet or "style sheet" or style-sheet) and form and display\$3 | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 16:21 |
| S51 | 35 | apply\$3 near2 (stylesheet or "style sheet" or style-sheet) and (error adj (message or code or error)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 16:22 |
| S52 | 35 | apply\$3 near2 (stylesheet or "style sheet" or style-sheet) and (error adj (message or code or number)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 16:47 |

| | | | | | | |
|-----|------|---|--|----|-----|------------------|
| S53 | 40 | (thin or wiress) adj (client or device) and ("style sheet" or style-sheet or stylesheet) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/05 16:49 |
| S54 | 40 | (thin or wiress) adj (client or device) and ("style sheet" or style-sheet or stylesheet) and display\$3 | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 18:19 |
| S55 | 15 | ("5132968" "5371487" "5553269" "5576972" "5673252" "5852351" "5907491" "5963679" "6112126" "6115654" "6131067" "6204772" "6208247" "6305009" "6326982").PN. | USPAT | OR | ON | 2004/08/05 17:26 |
| S56 | 826 | (709/225).CCLS. | USPAT; USOCR | OR | OFF | 2004/08/05 18:39 |
| S57 | 362 | ((709/225).CCLS.) and error | USPAT | OR | ON | 2005/03/08 13:36 |
| S58 | 1235 | (714/5,38).CCLS. | USPAT; USOCR | OR | OFF | 2004/08/05 18:52 |
| S59 | 833 | ((714/5,38).CCLS.) and error | USPAT | OR | ON | 2004/08/05 18:52 |
| S60 | 274 | ((714/5,38).CCLS.) and (error near (code or number or message)) | USPAT | OR | ON | 2005/03/07 18:11 |
| S81 | 120 | error and (style adj sheet) | USPAT | OR | OFF | 2005/03/07 17:44 |
| S82 | 4 | error same (style adj sheet) | USPAT | OR | OFF | 2005/03/07 17:44 |
| S84 | 356 | ((709/203).CCLS.) and (error near2 message) | USPAT | OR | ON | 2005/03/07 18:05 |
| S85 | 298 | ((714/5,38).CCLS.) and (error near (code or number or message)) | USPAT | OR | ON | 2005/03/07 18:11 |
| S86 | 592 | ("style sheet" or style-sheet or stylesheet) and display\$3 | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 18:19 |
| S87 | 300 | ("style sheet" or style-sheet or stylesheet) same display\$3 | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/08 14:26 |
| S89 | 3 | ("style sheet" or style-sheet or stylesheet) same error same display\$3 | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 18:20 |
| S90 | 408 | ((709/225).CCLS.) and error | USPAT | OR | ON | 2005/03/08 13:36 |
| S92 | 288 | 714/15.ccls. and error | USPAT | OR | OFF | 2005/03/08 13:52 |
| S93 | 22 | ("style sheet" or style-sheet or stylesheet) same error | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/08 14:26 |